Work Order ID August-28-13 1:12:22				*106	3129*						Page 1
Item ID: D3574 Revision ID: Item Name: Cabin	I-6 Floor Protector		A	Accept	*N900	040	100)* s	etup Star Stop	1 73	S1* S2*
Start Date: 8/28/1 Required Date: 8/28/1 Reference:	-	-	*1* *1*		Cust Item I Customer:	ID:					
Approvals: Proc	ess Plan: MC		Date: 13-08-28	Tooling: SPC (Y/N):		ate:		R	tun Star Stop	, I <u>/</u> I	R1* R2*
Sequence ID/ Work Center ID	Operation Descript			Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr					ALL ST. 70 % ARREST					
D3574	Rev B										
*100 *100* Waterjet FLOW CNC Waterjet	FLOW WA	ATER JET Memo I-Cut as per Dwg Rev: Prog Rev:	<u>B</u> _	0.00							Ac 13.12
110. *110* QC Quality Control	QC2- Insp	2-Deburr ect parts off ma	achine FAI/FAIB	0.00				-1	<i>-</i>		Ae 13.12

NCR: Y	'es	/ No				WORK ORDER NON-	COI	NFORI\	MANCE / UPDATE		•			
											QA Closed:	Da	te:	
Work Orde	·r-					DISPOSITION			AGAIN	NST DE	EPARTMENT,	/PROCESS		
Part N	lo					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Crosstu Machining Small F noforming Finish Large Fab Compos	ab ing	=	Water Jet d. Eng. Coor. e/Packaging Supplier	Qu	ering uality Uther
Root		Dete	Ct	05.	1	ption of work order update or Non-conformance	1	Initial nief Eng	Action Description	•	Sign & Date	Verificatio	n OCIn	spector
Cause	\dashv	Date	Step	Qty	\	or Non-comormance	10	HEI ENG	Description		Date	vermeatio	ii QC iii	spector
Doc/Data Equip/Tooling	\dashv													
Operator	\dashv				1							•		
Material			Į											
Setup	\exists													
Other														
Process	\Box		İ											
Supplier			ļ											
Training							1		•				•	
Unapproved		~												
							AUI	T CATE	GORY					
Landi	ng G	ìear				General	_	,		_	- -		_	
	-	Bending				Bend	<u> </u>	Grain			Ovalized		Pressure/	
	-	Centre N	ot Conce	ntric to	o/s	BOM/Route	\perp	Hardwa		<u> </u>	Over/Under		· · ·	ture/Cure
	$\overline{}$	Cracks			<u> </u>	Broken/Damaged	-	4	on Incomplete	 -	Part Incorre		Weld	
		Crushed/	Crimped			Burrs	\vdash	-1	ions Incomplete/Unclear	-	Part Lost/Mi	ssing	Wrong Sto	ock Pulled
	Н	Cuffs			<u> </u>	Contamination	\vdash	Mainte		⊢	Part Moved			
		Heat Trea		 :	 	Countersink	-	Mislabe		-	Positioned V	_		
	\vdash	Inspectio		Tube	-	Cut Too Short	\vdash	Misread	I	L	Power Loss/	Surge	Other	
		Ripples in			<u> </u>	Drill Holes	-	Offset	Sa Pila ana Atlanta					
ł		Torque V	vaves in I	Extrusio	n [_	Drawing	L	Jout of C	Calibration					

Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence

Wave/Twist in Tube

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde August-28-13 1		6129			*106				Page 2			
Item ID: Revision ID:	D3574-6				Accept	*N900	1 040	100)*	Setup Sta	1 4	S1*
Item Name: Start Date: Required Date: Reference:	Cabin Floor I 8/28/13 8/28/13	Start Qty: 1.00 Req'd Qty: 1.00		*1* *1*		Cust Item Customer					* ^ N	S2*
Approvals:	Process Pl	an:	Date:		Tooling:]	Date:	_		Run Sta Sta	1/1	R1*
	QC:		Date:_		SPC (Y/N):		Date:			50	* *N	R2*
Sequence ID/ Work Center I	D	Operation Description			Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control		QC8- Inspect parts - seco	ond check		0.00				D	13-12-3	19 10	<u> </u>
130 *130* Small Fab Small Fab		Small Fab Memo Deburr if ne			0.00	A 8D			N			·,

0.00

0.00

O 13-1231 PD

QC5- Inspect part completeness to step on W/O

Memo

140

140

Quality Control

NCR:	⁄es	/ No				WORK ORDER NON-	COI	NFORM	MANCE / UP	DATE			,
											QA Closed:	Date	2:
Work Orde	er: _					DISPOSITION	•			_	EPARTMENT	_	
Part N	-					Rework Scrap Use-as-is Work Order Update		t Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	-	Water Jet od. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root	_				Descri	tion of work order update	Π	Initial	Ac	tion	Sign &		<u> </u>
Cause	}	Date	Step	Qty		or Non-conformance	1	nief Eng		ription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved													
Landi	na G					General	AUI	LT CATE	GURT		<u>-</u>	-	
Lanui		Bending Centre No Cracks Crushed/ Cuffs Heat Trea Inspectio Ripples in	Crimped at n Strip in ı Bend	Tube		Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes		Instruct Mainte Mislabe Misread Offset	on Incomplete ions Incomplete/ nance led	Unclear	Ovalized Over/Under Part Incorre Part Lost/M Part Moved Positioned V Power Loss/	ct issing Wrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
1	L!	Torque W	/aves in E	xtrusio	n	Drawing	ı	JOut of 0	Calibration				

Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence

Wave/Twist in Tube

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Ord		6129		*106	3129*						Page 3
Item ID: Revision ID: Item Name:	D3574-6 Cabin Floor Pi	rotector		Accept	*N900	040	100)* s	etup Stai	171.	S1* S2*
Start Date: Required Date: Reference:	8/28/13 : 8/28/13	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item I Customer:	D:					
Approvals:	Process Pla	n:	Date:	Tooling: SPC (Y/N):		ate:		R	tun Stai Sto	" [\] [R1* R2*
Sequence ID/ Work Center I 150 *150* Packaging Packaging	D	Operation Description Identify as per dwg & St Memo	ock Location:	Set Up/ Run Hours 0.00	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number DA 33	3 14-01-07
160 *160* QC Quality Control		QC21- Final Inspection Memo	- Work Order Release	0.00				M(<u>5</u>	14-0 MC5	14-01-07

NCR: \	es/	/ No				WORK ORDER NON-C	COF	MFORM	MANCE / UPI	DATE			
											QA Closed:	Date	2:
Work Orde	er:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part N	- . No.					Rework Scrap Use-as-is Work Order Update		Thern	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Henri	•••					Work Order opudie			carge rab	composite_	1	Supplier	
Root	Į				Descri	ption of work order update		nitial	Act	ion	Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Ch	nief Eng	Descr	iption	Date	Verification	QC Inspector
Doc/Data									,				
Equip/Tooling	Ш								·				
Operator	Ш						1						
Material	Ш							:					
Setup	Щ						1						
Other	Ц												
Process	\vdash		İ										
Supplier	Н												
Training	┝╌╡												
Unapproved	Li		İ	<u> </u>			<u> </u>	T CATE	CORY		L		
Landi	ng G	iear	·			F General	AUL	LICATE	GORT				
	<u> </u>	Bending				Bend		Grain			Ovalized	Γ	Pressure/Forced
	\vdash	Centre No	ot Concei	ntric to (o/s	BOM/Route		Hardwa	re		Over/Under	tolerance	Temperature/Cure
		Cracks				Broken/Damaged		4	ion Incomplete	<u> </u>	Part Incorre		Weld
		Crushed/	Crimped			Burrs		- 1	ions Incomplete/U	Inclear	Part Lost/M	<u> </u>	Wrong Stock Pulled
	-	Cuffs	•			Contamination	\vdash	Mainte	•		Part Moved	, <u> </u>	_ ~
		Heat Trea	at			Countersink	\vdash	Mislabe	eled		Positioned \	Vrong	
		Inspectio	n Strip in	Tube		Cut Too Short		Misread	d .		Power Loss,	Surge	Other
		Ripples ir	Bend			Drill Holes		Offset				_	
		Torque W	aves in E	Extrusion	ı [Drawing		Out of 0	Calibration				
		Turning S	equence			Finish		Out of	Sequence				

Outside Dimensions

DQA:

Date:

Wave/Twist in Tube

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

August-28-13 1:12:22 PM

Work Order ID:

106129

Parent Item:

D3574-6

Parent Item Name:

Cabin Floor Protector

Start Date: 8/28/13

Required Date: 8/28/13

Start Qty: 1.00

Required Qty: 1.00

Comments:

Item Name

IPP Rev : A New Issue 07.07.23

verified by:JLM EC

Qty per Kit Total Unit of Qty on Qty Date Replacement Last Mfg/ Bin **Primary** Route Item ID Purch Item

Loc Oty

2471.452 286.792

2184.66

MLEXS.125-F60029-04

Component Item ID/

Purchased

Location

Seq ID

Measure Hand

Qty

Issued Issued

Status

GE PLASTICS LEXAN SHEET

No

Location

sf

2,471.4520 25.352941

13:12.28

Location MAT018 124866

m126425

Loc Code

126425 -> 25,36

NCR: \	es/	/ No				WORK ORDER NON-C	.Or	MFOKI	MANCE / UPI	DATE	04 (1	Data	
											QA Closed:	Date	-
Work Orde	ar.					DISPOSITION				AGAINST DE	PARTMENT,	/PROCESS	
	••••					Rework	1		Skid-tube	Crosstube		Water Jet	Engineering
Part N	No.					Scrap	1		Machining	Small Fab	Pro	d. Eng. Coor.	Quality
	•					Use-as-is	1		noforming	Finishing	ı	re/Packaging	Other
NCR I	No.					Work Order Update	1		Large Fab	Composite		Supplier	
Root						ption of work order update	1	nitial		ion	Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Desci	ription	Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling													
Operator									!		}		
Material	Н												
Setup													
Other							1						
Process	\vdash												
Supplier	-			İ									
Training Unapproved	<u> </u>											} [
Onapproved	i	<u> </u>	<u> </u>	<u> </u>	l		<u></u> Δ111	T CATE	SORV			L	<u> </u>
Landi	ng (Gear				General		.i CAIL					
		Bending				Bend		Grain		<u></u>	Ovalized	Γ	Pressure/Forced
		Centre N	ot Conce	ntric to	o/s	BOM/Route		Hardwa	re		Over/Under	tolerance	Temperature/Cure
		Cracks				Broken/Damaged		Inspect	on Incomplete		Part Incorre	<u> </u>	Weld
	Г	Crushed/	Crimped			Burrs		4	ions Incomplete/	Unclear	Part Lost/M	issing	Wrong Stock Pulled
		Cuffs	•			Contamination	Г	Mainte	nance		Part Moved	- <u>-</u>	
		Heat Trea	at			Countersink		Mislabe	led		Positioned V	Vrong	
		Inspectio	n Strip in	Tube		Cut Too Short		Misread	i		Power Loss/	Surge	Other
		Ripples in	n Bend			Drill Holes		Offset		•			
		Torque V	Vaves in E	xtrusio	n [Drawing		Out of 0	Calibration				
		Turning S	Sequence		·	Finish	Г	Out of	Sequence				

Outside Dimensions

DQA:

Date:

Wave/Twist in Tube

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

DART AEROSPACE LTD	Work Order:	106129
Description: Cabin Floor Protector	Part Number:	D3574-6
Inspection Dwg: D3574 Rev: B		Page 1 of 2

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3,00	_		V	JKM-05
7.37	+/-0.030	7,37			T	UKm-Ub
11.00	+/-0.030	11,00	_		T	VIETE
15.25	+/-0.030	15.25	_		T	
25.87	+/-0.030	25.87	_		T	
39.75	+/-0.030	39.75	-		Τ	
44.75	+/-0.030	44.75	_		Τ	
58.38	+/-0.030	5838	_		T	
63.50	+/-0.030	63.50	_		て	
65.25	+/-0.030	65.25	~		Τ	
10.25	+/-0.030	10.25	_		τ	
11.87	+/-0.030	11.87	-			
14.75	+/-0.030	14.75			<u> </u>	
26.00	+/-0.030				4	
40.87	+/-0.030	40.87	_		-	
45.00	+/-0.030	45.00			+	
48.00	+/-0.030	48.00	1		+	
55.13	+/-0.030	55.13			T	
61.25	+/-0.030	61.25	_		7	
61.88	+/-0.030	61.88	_		T	
64.63	+/-0.030	64.63			T	
1.13	+/-0.030	1,13			>	
7.63	+/-0.030				<u> </u>	
11.00	+/-0.030	7.63				
22.10	+/-0.030	11-00	-		<u> </u>	
22.50	+/-0.030	22.10			7	
24.50	+/-0.030	22.50 34.50			<u> </u>	
35.13	+/-0.030	35.13			+	
36.50	+/-0.030	36.50	_		+	
40.00	+/-0.030	40,00			Ť	
41.88	+/-0.030	41.88			Ť	
43.63	+/-0.030	43.63			7	
6.75	+/-0.030	6.75			<u> </u>	
9.50	+/-0.030	9.50			T	

DART AEROSPACE LTD	Work Order:	106129
Description: Cabin Floor Protector	Part Number:	D3574-6
Inspection Dwg: D3574 Rev: B		Page 2 of 2


FIRST ARTICLE INSPECTION CHECKLIST

Х	First Article		Prototype
---	---------------	--	-----------

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
10.38	+/-0.030	10.38			+	
14.50	+/-0.030	14.50	_		て	
16.75	+/-0.030	16.75	_		7	
18.94	+/-0.030	18.94	_		T	
19.00	+/-0.030	19.00	_		7	
24.13	+/-0.030	24.13	_		7	,
33.88	+/-0.030	33.88	_	·	7	
39.50	+/-0.030	39.50	_	九	T	
40.25	+/-0.030	40.25	_		T	
43.50	+/-0.030	43,50	_		T	
46.60	+/-0.030	46.60			T	
0.125	+/-0.010	127	-		V	

Measured by:	Ac	Audited by:	PD	Prototype Approval:	N/A
Date:	13.12.28	Date:	13-12-31	Date:	N/A

Rev	Date	Change	Revised by	Approved=
Α	08.01.16	New Issue	KJ//DD , A	
В	09.05.15	Dimensions updated per Dwg Rev B	KJ 95	140



D3574-1 CABIN FLOOR PROTECTOR

NOTES: 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04)

2) FINISH: N/A

(3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

(4) UNITS: INCHES UNLESS OTHERWISE NOTED

(5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

(6) IDENTIFICATION: IDENTIFY WITH DART P/M "03574-1" AND B/M USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART

					4.5
В	ADD CUT-OUT TO -1/-5 FOR WEIGHT AND BALANCE DATA PLATE ZN B7-1, B8-5; -2 NOW SHOWN ON SHEET 2			蘇	09.03.25
Α	NEW IS	NEW ISSUE			07.06.08
REV.		DESCRIPTION			DATE
DESIG	N	15	DART AEROSPA	CEL	TD
DRAW	N	1	HAWKESBURY, ONTARI		
CHECK	ED	0	DRAWING NO.		REV. B
MFG. A	PPR.	100	□ D3574		SHEET 1 OF 6
APPRO	VED	10	TITLE		SCALE
DE API	PR.		CABIN FLOOR PROT	ECTO	OR NTS
DATE 09.03.25		3.25	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DODUMENT HE PRIVATE AND CONSIDERING, AND SUPPLED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PROPOSE OR CORDER DOCUMENTATION OF MORE REISON WITHOUT		

100129 16.75 19.00 22.50 32.63 32.75 35.13 40.00 41.88 43.63 REF 7.37 10.75 -10.75 11.00 - 11.00 \oplus 14.75 15.25 R1.50 2 PL 25.50 \oplus 25.87 25.75 26.00 32.87 R200.0 38.81 \oplus 39.75 44.75 45.00 **(III)** 48.25 53.51 58.38 Ø3.00 ΤΥΡ 61.25 64.13 -63.50 64.63 65.25 0.125 REF 66.50 R0.25 7.50 9.50 10.38 10.88 14.50 16.56 18.75 30.50 33.88 39.50 40.25 43.50 46.60 50 24. **D3574-2 CABIN FLOOR PROTECTOR** NOTES: 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04) 2) FINISH: N/A

2) FINISH: N/A


3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-2" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART DESIGN **DART AEROSPACE LTD** DRAWN HAWKESBURY, ONTARIO, CANADA CHECKED DRAWING NO. REV. B D3574 MFG. APPR. SHEET 2 OF 6 APPROVED TITLE SCALE CABIN FLOOR PROTECTOR DE APPR. 7) WEIGHT: 14.30 lbs 8) CHECK PER TEMPLATE DT8961 COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IN THE DOCUMENT AND COMPODERING AND IS SUPPLIED ON THE EVENT DATE 09.03.25

, 106129



0

D3574-3 CABIN FLOOR PROTECTOR


NOTES:
1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK,
1) TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04)
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-3" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART


7) WEIGHT: 14.33 lbs 8) CHECK PER TEMPLATE DT8962

DESIGN	15	DART AEROSPACE LTD	
DRAWN	45	HAWKESBURY, ONTARIO, CANADA	
CHECKED	00	DRAWING NO.	REV. B
MFG. APPR.	1	D3574 _{SHEE}	T 3 OF 6
APPROVED	10	TITLE .	SCALE
DE APPR.	_#-	CABIN FLOOR PROTECTOR	NTS
DATE 09.03.25		COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS SHEART, AND CONTINUE ALL AND IS SUPPLIED ON THE CUPREDS CONCITION THAT IT IS HIGT TO BE USED POR MY PRINCES OR CONCIDED ON COMMENSION TO TO THE REPOSE WITHOUT	

106/29

С






D3574-4 CABIN FLOOR PROTECTOR

NOTES:
1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04)
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-4" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART

7) WEIGHT: 14.18 lbs 8) CHECK PER TEMPLATE DT8963

DESIGN	M	DART AEROSPACE LTD	
DRAWN	16	HAWKESBURY, ONTARIO, CANADA	
CHECKED	0	DRAWING NO. RE	V. B
MFG. APPR.	100	D3574 SHEET 4	OF 6
APPROVED	10	TITLE	ALE
DE APPR.	4	CABIN FLOOR PROTECTOR	NTS
DATE 09.03.25		COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND COMPRESHING AND IS SUPPLIED ON THE EXPRESS CONCINION THAT	

0.125 REF



22.10 22.50 24.50 35.13 36.50 40.00 41.88 11.00 ŘEF 7.37 10.25 11.00 11.87 14.75 15.25 26.00 25.87 С R1.50 2 PL Ø3.00 TYP 39.75 40.87 \oplus 45.00 44.75 48.00 -- R200.0 55.13 **(1)** 58.38 61.25 61.88 63.50 64.63 65.25 0.125 R0.25 REF TYP 6.75 9.50 10.38 14.50 16.75 18.94 19.00 39.50 40.25 43.50 46.60 **D3574-6 CABIN FLOOR PROTECTOR** NOTES:
1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04) DESIGN 2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "03574-6" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART DART AEROSPACE LTD DRAWN HAWKESBURY, ONTARIO, CANADA CHECKED DRAWING NO. REV. B D3574 MFG. APPR SHEET 6 OF 6 APPROVED TITLE SCALE CABIN FLOOR PROTECTOR

COPYRIGHT © 2007 BY DART AEROSPACE LTD DE APPR. 7) WEIGHT: 14.27 lbs 8) CHECK PER TEMPLATE DT8965 DATE 09.03.25

5

1106129